

### **Functionality Description:**

This screen is used for adding new ICD code related information of the patient.

### **Legend:**

Key(s)	Description/Actions
Enter	Movement within the fields can be done using the <Enter> key.
TAB	<TAB> key can be used for moving forward within the fields and <SHIFT + TAB> will be used for the backward movement.
Enter	<Enter> key can be used for submission of the values.

### **Steps to perform:**

1. ‘Code’ field has the focus.
2. Hit ‘Enter’ and the multiple values window will open.
3. Select the # by entering the number in the field and hit ‘Enter’.
4. The value gets selected and appears in the ‘Code’ field.
5. Values for ‘Description etc are automatically filled based on the selection.

### **Database Tables:**

1. TBL\_PATIENT\_INFO
2. TBL\_ADDRESS
3. TBL\_PATIENT\_SENSITIVITIES
4. TBL\_PATIENT\_HEALTHSTATES
5. TBL\_PATIENT\_ICDCODES
6. TBL\_MST\_ADDRESSTYPES
7. TBL\_MST\_STATE
8. TBL\_MST\_SENSITIVITIES
9. TBL\_MST\_HEALTHSTATES
10. TBL\_MST\_ICDCODES
11. TBL\_USERS

### **Rules:**

1. Use ‘TBL\_PATIENT\_INFO’ table for fetching the patient details needed for the header based on ‘PATIENT\_ID’ field.

2. Use 'TBL\_PATIENT\_SENSITIVITIES' table for retrieving sensitivities related information for the patient based on 'PATIENT\_ID' field.
3. Use 'TBL\_PATIENT\_HEALTHSTATE' table for retrieving health states related information for the patient based on 'PATIENT\_ID' field.
4. Use 'TBL\_PATIENT\_ICDCODES' table for retrieving ICD codes related information for the patient based on 'PATIENT\_ID' field.
5. Use master tables to populate values on the screen:
  - a. TBL\_MST\_ADDRESSTYPES
  - b. TBL\_MST\_STATE
  - c. TBL\_MST\_SENSITIVITIES
  - d. TBL\_MST\_HEALTHSTATES
  - e. TBL\_MST\_ICDCODES
6. Save values in 'TBL\_PATIENT\_ICDCODES' table for sensitivities related information for the patient based on 'PATIENT\_ID' field.